

chain nodes :
 16 17 18 23 25
 ring nodes :
 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
 chain bonds :
 17-18
 ring bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 11-13 12-15 13-14 14-15
 exact/norm bonds :
 7-8 7-12 8-9 9-10 10-11 11-12 11-13 12-15 13-14 14-15 17-18
 normalized bonds :
 1-2 1-6 2-3 3-4 4-5 5-6

G1:[*1],[*2]

Match level :
 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:CLASS 18:Atom 23:CLASS 24:Atom 25:Atom
 28:Atom 29:Atom

Generic attributes :
 16:
 Saturation : Saturated
 Number of Hetero Atoms : Exactly 1
 18:
 Saturation : Saturated
 Number of Carbon Atoms : less than 7
 Number of Hetero Atoms : Exactly 1
 Type of Ring System : Monocyclic
 25:
 Saturation : Unsaturated
 Number of Carbon Atoms : less than 7
 Number of Hetero Atoms : 2 or more
 Type of Ring System : Monocyclic

Element Count :

Node 16: Limited

N,N1

C,C3

O,O0

S,S0

Node 18: Limited

C,C3

N,N1

S,S0

O,O0

Node 25: Limited

C,C4

N,N2


O,O0

S,S0

10/573,363

=>

Uploading C:\Program Files\Stnexp\Queries\10573363.str



chain nodes :

35 80

ring nodes :

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	23	24
25	26	31	32	33	34	36	37	38	39	40	41	42	45	46	47	48	49	50	51	52		
53	54	55	56	57	58	59	60	61	62	63	64	65										

```

chain bonds :
2-19  7-20  32-35
ring bonds :
1-2   1-6   2-3   3-4   4-5   5-6   7-8   7-12  8-9   9-10  10-11  11-12  13-14  13-18
14-15  15-16  16-17  17-18  17-19  18-21  19-20  20-21  23-24  23-26  24-25  25-26
31-32  31-34  32-33  33-34  36-37  36-41  37-38  38-39  38-42  39-40  40-41  41-42
45-46  45-50  45-63  46-47  47-48  48-49  49-50  49-63  51-52  51-56  52-53  52-64
53-54  54-55  54-64  55-56  57-58  57-62  57-65  58-59  59-60  60-61  60-65  61-62
exact/norm bonds :
13-18  16-17  17-18  17-19  18-21  19-20  20-21  31-32  31-34  32-33  33-34  36-37
36-41  37-38  38-39  39-40  40-41  45-46  45-50  45-63  46-47  47-48  48-49  49-50
49-63  51-52  51-56  52-53  52-64  53-54  54-55  54-64  55-56  57-58  57-62  58-59
59-60  60-61  61-62
exact bonds :
2-19  7-20  23-24  23-26  24-25  25-26  32-35  38-42  41-42  57-65  60-65
normalized bonds :
1-2   1-6   2-3   3-4   4-5   5-6   7-8   7-12  8-9   9-10  10-11  11-12  13-14  14-15
15-16
isolated ring systems :
containing 1 : 7 : 13 : 23 : 31 : 36 : 45 : 51 : 57 :

```

```
G1:[*1],[*2],[*3],[*4],[*5],[*6]
```

```

Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:Atom  7:Atom  8:Atom  9:Atom  10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 23:Atom 24:Atom 25:Atom 26:Atom 31:Atom 32:Atom 33:Atom
34:Atom 35:CLASS 36:Atom 37:Atom 38:Atom 39:Atom 40:Atom 41:Atom 42:Atom
45:Atom 46:Atom 47:Atom 48:Atom 49:Atom 50:Atom 51:Atom 52:Atom 53:Atom
54:Atom 55:Atom 56:Atom 57:Atom 58:Atom 59:Atom 60:Atom 61:Atom 62:Atom
63:Atom 64:Atom 65:Atom 80:CLASS 81:Atom

```

```
L1          STRUCTURE UPLOADED
```

```
=> d l1
```

```
L1 HAS NO ANSWERS
```

```
L1          STR
```

```
* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *
```

```
Structure attributes must be viewed using STN Express query preparation.
```

```
=> s l1 sss sam
```

```
SAMPLE SEARCH INITIATED 05:33:48 FILE 'REGISTRY'
```

```
SAMPLE SCREEN SEARCH COMPLETED - 82 TO ITERATE
```

```
100.0% PROCESSED          82 ITERATIONS
```

```
0 ANSWERS
```

```
SEARCH TIME: 00.00.01
```

```
FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
```

```
                        BATCH  **COMPLETE**
```

```
PROJECTED ITERATIONS:   1097 TO    2183
```



10/573,363

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=>

Uploading C:\Program Files\Stnexp\Queries\10573363 (a).str



chain nodes :
23 24 25 31
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
chain bonds :
2-19 7-20 24-25
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 13-18
14-15 15-16 16-17 17-18 17-19 18-21 19-20 20-21
exact/norm bonds :

10/573,363

13-18 16-17 17-18 17-19 18-21 19-20 20-21 24-25
exact bonds :
2-19 7-20
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 13-14 14-15
15-16
isolated ring systems :
containing 1 : 7 : 13 :

G1:[*1],[*2]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom 21:Atom 23:Atom 24:CLASS 25:Atom 31:CLASS 32:Atom

Generic attributes :

23:

Saturation : Saturated

Number of Hetero Atoms : Exactly 1

25:

Saturation : Saturated

Number of Carbon Atoms : less than 7

Number of Hetero Atoms : Exactly 1

Type of Ring System : Monocyclic

Element Count :

Node 23: Limited

N,N1

Node 25: Limited

C,C3

N,N1

S,S0

O,O0

L3 STRUCTURE UPLOADED

=> d 13

L3 HAS NO ANSWERS

L3 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s 13 sss sam

SAMPLE SEARCH INITIATED 05:37:29 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 84 TO ITERATE

100.0% PROCESSED 84 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01



10/573,363

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 1131 TO 2229
PROJECTED ANSWERS: 0 TO 0

L4 0 SEA SSS SAM L3

=>

Uploading C:\Program Files\Stnexp\Queries\10573363 (b).str



chain nodes :
16 17 18 24 26
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
chain bonds :
1-14 13-26 17-18
ring bonds :

10/573,363

1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 11-13 12-15
13-14 14-15

exact/norm bonds :

7-12 10-11 11-12 11-13 12-15 13-14 13-26 14-15 17-18

exact bonds :

1-14

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 7-8 8-9 9-10

G1:[*1],[*2]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:CLASS 18:Atom 24:CLASS
25:Atom 26:Atom

Generic attributes :

16:

Saturation : Saturated

Number of Hetero Atoms : Exactly 1

18:

Saturation : Saturated

Number of Carbon Atoms : less than 7

Number of Hetero Atoms : Exactly 1

Type of Ring System : Monocyclic

26:

Saturation : Unsaturated

Number of Carbon Atoms : less than 7

Number of Hetero Atoms : 2 or more

Type of Ring System : Monocyclic

Element Count :

Node 16: Limited

N,N1

Node 18: Limited

C,C3

N,N1

S,S0

O,O0

Node 26: Limited

C,C4

N,N2

O,O0

S,S0

L5 STRUCTURE UPLOADED

=> d 15

L5 HAS NO ANSWERS

L5 STR

10/573,363

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s 15 sss sam

SAMPLE SEARCH INITIATED 05:39:08 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1985 TO ITERATE

100.0% PROCESSED 1985 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 37028 TO 42372

PROJECTED ANSWERS: 0 TO 0

L6 0 SEA SSS SAM L5

=> s 15 sss ful

FULL SEARCH INITIATED 05:39:18 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 39909 TO ITERATE

100.0% PROCESSED 39909 ITERATIONS



0 ANSWERS

SEARCH TIME: 00.00.04

L7 0 SEA SSS FUL L5

=>

Uploading C:\Program Files\Stnexp\Queries\10573363 (d).str



```

chain nodes :
16 17 18 23 25
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
chain bonds :
1-14 13-25 17-18
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 11-13 12-15
13-14 14-15
exact/norm bonds :
7-12 10-11 11-12 11-13 12-15 13-14 13-25 14-15 17-18
exact bonds :
1-14
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 8-9 9-10

```

G1:[*1],[*2]

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:CLASS 18:Atom 23:CLASS
24:Atom 25:Atom

Generic attributes :

16:

Saturation : Saturated

Number of Hetero Atoms : Exactly 1

18:

Saturation : Saturated

Number of Carbon Atoms : less than 7

Number of Hetero Atoms : Exactly 1

Type of Ring System : Monocyclic

25:

Saturation : Unsaturated

Number of Carbon Atoms : less than 7

Number of Hetero Atoms : 2 or more

Type of Ring System : Monocyclic

Element Count :

Node 16: Limited

N,N1

C,C3

O,O0

S,S0

Node 18: Limited

C,C3

N,N1

S,S0

O,O0

Node 25: Limited

C,C4

N,N2

O,O0

S,S0

L8 STRUCTURE UPLOADED

=> d 18

L8 HAS NO ANSWERS

L8 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s 18 sss sam

10/573,363

SAMPLE SEARCH INITIATED 05:43:31 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 1985 TO ITERATE

100.0% PROCESSED 1985 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 37028 TO 42372
PROJECTED ANSWERS: 0 TO 0

L9 0 SEA SSS SAM L8

=>

Uploading C:\Program Files\Stnexp\Queries\10573363 (e).str



chain nodes :
16 17 18 23 25

```

ring nodes :
1  2  3  4  5  6  7  8  9  10  11  12  13  14  15
chain bonds :
1-14  13-25  17-18
ring bonds :
1-2  1-6  2-3  3-4  4-5  5-6  7-8  7-12  8-9  9-10  10-11  11-12  11-13  12-15
13-14  14-15
exact/norm bonds :
7-8  7-12  8-9  9-10  10-11  11-12  11-13  12-15  13-14  13-25  14-15  17-18
exact bonds :
1-14
normalized bonds :
1-2  1-6  2-3  3-4  4-5  5-6

```

```
G1:[*1],[*2]
```

```

Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:Atom  7:Atom  8:Atom  9:Atom  10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:CLASS 18:Atom 23:CLASS
24:Atom 25:Atom
Generic attributes :
16:
Saturation           : Saturated
Number of Hetero Atoms : Exactly 1
18:
Saturation           : Saturated
Number of Carbon Atoms : less than 7
Number of Hetero Atoms : Exactly 1
Type of Ring System   : Monocyclic
25:
Saturation           : Unsaturated
Number of Carbon Atoms : less than 7
Number of Hetero Atoms : 2 or more
Type of Ring System   : Monocyclic

```

```

Element Count :
Node 16: Limited
  N,N1
  C,C3
  O,O0
  S,S0

```

```

Node 18: Limited
  C,C3
  N,N1
  S,S0
  O,O0

```

```

Node 25: Limited
  C,C4
  N,N2
  O,O0
  S,S0

```

L10 STRUCTURE UPLOADED

=> d l10

L10 HAS NO ANSWERS

L10 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s l10 sss sam

SAMPLE SEARCH INITIATED 05:44:49 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 1985 TO ITERATE

100.0% PROCESSED 1985 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 37028 TO 42372

PROJECTED ANSWERS: 0 TO 0

L11 0 SEA SSS SAM L10

=>

Uploading C:\Program Files\Stnexp\Queries\10573363 (f).str



```

chain nodes :
16 17 18 23 25
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15
chain bonds :
17-18
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 9-10 10-11 11-12 11-13 12-15
13-14 14-15
exact/norm bonds :
7-8 7-12 8-9 9-10 10-11 11-12 11-13 12-15 13-14 14-15 17-18
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6

```

```
G1:[*1],[*2]
```

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
 11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:CLASS 18:Atom 23:CLASS
 24:Atom 25:Atom 28:Atom 29:Atom

Generic attributes :

16:

Saturation : Saturated

Number of Hetero Atoms : Exactly 1

18:

Saturation : Saturated

Number of Carbon Atoms : less than 7

Number of Hetero Atoms : Exactly 1

Type of Ring System : Monocyclic

25:

Saturation : Unsaturated

Number of Carbon Atoms : less than 7

Number of Hetero Atoms : 2 or more

Type of Ring System : Monocyclic

Element Count :

Node 16: Limited

N,N1

C,C3

O,O0

S,S0

Node 18: Limited

C,C3

N,N1

S,S0

O,O0

Node 25: Limited

C,C4

N,N2

O,O0

S,S0

L12 STRUCTURE UPLOADED

=> d l12

L12 HAS NO ANSWERS

L12 STR

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

Structure attributes must be viewed using STN Express query preparation.

=> s l12 sss sam

SAMPLE SEARCH INITIATED 05:46:18 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 9190 TO ITERATE

10/573,363

```

21.8% PROCESSED      2000 ITERATIONS                      0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

```

```

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:   178054 TO   189546
PROJECTED ANSWERS:      0 TO      0

```

L13 0 SEA SSS SAM L12

```
=> s 112 sss ful
FULL SEARCH INITIATED 05:46:29 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 184311 TO ITERATE
```


[illegible]

L14 30 SEA SSS FUL L12


=> => s 114
L15 9 L14

```
=> d 115 1-9 bib,ab,hitr
```

L15 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2007:652151 CAPLUS
 DN 147:277515
 TI Synthesis and SAR studies of potent imidazopyridine anticoccidial agents
 AU Liang, Gui-Bai; Qian, Xiaoxia; Feng, Dennis; Fisher, Michael; Brown, Christine M.; Gurnett, Anne; Leavitt, Penny Sue; Liberator, Paul A.; Misura, Andrew S.; Tamas, Tamas; Schmatz, Dennis M.; Wyvratt, Matthew; Biftu, Tesfaye
 CS Merck Research Laboratories, Department of Medicinal Chemistry, Merck and Co., Inc., Rahway, NJ, 07065, USA
 SO Bioorganic & Medicinal Chemistry Letters (2007), 17(13), 3558-3561
 CODEN: BMCLE8; ISSN: 0960-894X
 PB Elsevier Ltd.
 DT Journal
 LA English
 OS CASREACT 147:277515
 AB Diaryl imidazo[1,2-a]pyridine derivs. have been synthesized and found to be potent inhibitors of parasite PKG activity. The most potent compds. are the 7-isopropylaminomethyl analog I and 2-isopropylamino analog II. These compds. were also fully active in in vivo assay as anticoccidial agents at 25 ppm in feed.
 IT 480456-05-1P 480456-13-1P
 RL: PAC (Pharmacological activity); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (preparation of (aminopyrimidinyl)(fluorophenyl)imidazopyridine derivs. using amination of (fluorophenyl)hydroxymethyl(methylsulfonylpyrimidinyl)imidazopyridine with amines as key steps, and their anticoccidial activity and SAR)
 RN 480456-05-1 CAPLUS
 CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-(2,2-dimethylpropyl)- (CA INDEX NAME)




RN 480456-13-1 CAPLUS
 CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-(1-methylethyl)- (CA INDEX NAME)



RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT


L15 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2007:477982 CAPLUS
 DN 147:95595
 TI Imidazo[1,2-a]pyridines with potent activity against herpesviruses
 AU Gudmundsson, Kristjan S.; Johns, Brian A.
 CS Department of Medicinal Chemistry, Infectious Diseases Center of
 Excellence for Drug Discovery, GlaxoSmithKline Research & Development,
 Research Triangle Park, NC, 27709-3398, USA
 SO Bioorganic & Medicinal Chemistry Letters (2007), 17(10), 2735-2739
 CODEN: BMCLE8; ISSN: 0960-894X
 PB Elsevier Ltd.
 DT Journal
 LA English
 OS CASREACT 147:95595
 AB Synthesis of a series of 2-aryl-3-pyrimidylimidazo[1,2-a]pyridines (e.g.
 1) with potent activity against herpes simplex viruses is described.
 Synthetic approaches allowing for variation of the 2-aryl, 3-heteroaryl as
 well as other imidazopyridine substituents are outlined and resulting
 effects on antiviral activity are highlighted. Several compds. with in
 vitro antiviral activity similar or better than acyclovir are described.
 IT 481048-64-0P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL
 (Biological study); PREP (Preparation)
 (preparation of imidazo[1,2-a]pyridines with activity against herpes simplex
 viruses)
 RN 481048-64-0 CAPLUS
 CN 2-Pyrimidinamine, N-cyclopentyl-4-[2-(4-fluorophenyl)-8-(1-
 pyrrolidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



RE.CNT 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT


L15 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2006:970603 CAPLUS
 DN 147:63360
 TI Inhibitors of casein kinase 1 block the growth of *Leishmania major* promastigotes in vitro
 AU Allocco, John J.; Donald, Robert; Zhong, Tanya; Lee, Anita; Tang, Yui Sing; Hendrickson, Ronald C.; Liberator, Paul; Nare, Bakela
 CS Department of Infectious Disease Research, Merck Research Laboratories, Merck and Co., Inc., Rahway, NJ, 07065-0900, USA
 SO International Journal for Parasitology (2006), 36(12), 1249-1259
 CODEN: IJPYBT; ISSN: 0020-7519
 PB Elsevier Ltd.
 DT Journal
 LA English
 AB Casein kinase 1 (CK1) is a family of multifunctional Ser/Thr protein kinases that are ubiquitous in eukaryotic cells. Recent studies have demonstrated the existence of, and role for, CK1 in protozoan parasites such as *Leishmania*, *Plasmodium* and *Trypanosoma*. The value of protein kinases as potential drug targets in protozoa is evidenced by the successful exploitation of cGMP-dependent protein kinase (PKG) with selective tri-substituted pyrrole and imidazopyridine inhibitors. These compds. exhibit in vivo efficacy against *Eimeria tenella* in chickens and *Toxoplasma gondii* in mice. We now report that both of these protein kinase inhibitor classes inhibit the growth of *Leishmania major* promastigotes and *Trypanosoma brucei* bloodstream forms in vitro. Genome informatics predicts that neither of these trypanosomatids codes for a PKG orthologue. Biochem. studies have led to the unexpected discovery that an isoform of CK1 represents the primary target of the pyrrole and imidazopyridine kinase inhibitors in these organisms. CK1 from exts. of *L. major* promastigotes co-fractionated with [³H]imidazopyridine binding activity. Further purification of CK1 activity from *L. major* and characterization via liquid chromatog. coupled tandem mass spectrometry identified CK1 isoform 2 as the specific parasite protein inhibited by imidazopyridines. *L. major* CK1 isoform 2 expressed as a recombinant protein in *Escherichia coli* displayed biochem. and inhibition characteristics similar to those of the purified native enzyme. The results described here warrant further evaluation of the activity of these kinase inhibitors against mammalian stage *Leishmania* parasites in vitro and in animal models of infection, as well as studies to genetically validate CK1 as a therapeutic target in trypanosomatid parasites.
 IT 762172-81-6
 RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (pyrrole and imidazopyridine cyclic guanosine monophosphate-dependent protein kinase inhibited growth of and *Trypanosoma brucei* bloodstream forms in parasite culture)
 RN 762172-81-6 CAPLUS
 CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)

10/573,363




RE.CNT 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L15 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2006:274310 CAPLUS
 DN 144:488575
 TI Synthesis and SAR studies of very potent imidazopyridine antiprotozoal agents
 AU Biftu, Tesfaye; Feng, Dennis; Fisher, Michael; Liang, Gui-Bai; Qian, Xiaoxia; Scribner, Andrew; Dennis, Richard; Lee, Shuliang; Liberator, Paul A.; Brown, Chris; Gurnett, Anne; Leavitt, Penny S.; Thompson, Donald; Mathew, John; Misura, Andrew; Samaras, Samantha; Tamas, Tamas; Sina, Joseph F.; McNulty, Kathleen A.; McKnight, Crystal G.; Schmatz, Dennis M.; Wyvratt, Matthew
 CS Merck Research Laboratories, Department of Medicinal Chemistry, Merck and Co., Inc., Rahway, NJ, 07065, USA
 SO Bioorganic & Medicinal Chemistry Letters (2006), 36(9), 2479-2483
 CODEN: BMCLE8; ISSN: 0960-894X
 PB Elsevier B.V.
 DT Journal
 LA English
 OS CASREACT 144:488575
 AB Aryl(pyrimidinyl)imidazopyridines (I) were prepared and tested for antiprotozoal activity. I [R = CH₂NMe₂] (IC₅₀ 110 pM) and I [R = 1-methyl-4-piperidinyl] (IC₅₀ 40 pM) are the most potent inhibitors of Eimeria tenella cGMP-dependent protein kinase activity reported to date and are efficacious in the in vivo antiparasitic assay when administered to chickens at 12.5 and 6.25 ppm levels in the feed. However, both compds. are pos. in the Ames microbial mutagenesis assay which precludes them from further development as antiprotozoal agents in the absence of neg. lifetime rodent carcinogenicity studies.
 IT 762172-80-5P
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and SAR studies of very potent imidazopyridine antiprotozoal agents)
 RN 762172-80-5 CAPLUS
 CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(4-piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



IT 762172-81-6P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (preparation and SAR studies of very potent imidazopyridine antiprotozoal agents)
 RN 762172-81-6 CAPLUS
 CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-4-

piperidiny1)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




IT 762173-02-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and SAR studies of very potent imidazopyridine antiprotozoal agents)

RN 762173-02-4 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)



RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L15 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2005:696683 CAPLUS
 DN 143:189116
 TI cDNA molecules and polypeptides of Toxoplasma gondii and Eimeria tenella
 casein kinase I isoenzymes, sequences and biological uses thereof
 IN Donald, Robert G. K.; Liberator, Paul; Zhong, Xiaotian
 PA Merck & Co., Inc., USA
 SO PCT Int. Appl., 96 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005070180	A2	20050804	WO 2005-US955	20050112
WO 2005070180	A3	20061123		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, SM
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

PRAI US 2004-537094P P 20040116

AB The invention provides cDNA mols. and polypeptides of Toxoplasma gondii casein kinase I isoenzymes α and β (TgCKI α and TgCKI β), and Eimeria tenella casein kinase I isoenzyme α (EtCKI α). The invention also provides expression vectors comprising said TgCKI α , TgCKI β and EtCKI α -encoding cDNAs and use of said vectors in transforming host cells resulting in recombinant production of said CKI isoenzymes. The invention further provides for the use of recombinant CKI isoenzymes in testing compds. that modulate said CKI isoenzymes. Finally, the invention provides the cDNA and amino acid sequences of TgCKI α , TgCKI β and EtCKI α . In the examples, the invention presented the purification and characterization of said casein kinase I isoenzymes, including their sensitivity to variety of CDK inhibitors.


IT 762172-81-6

RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (characterization of casein kinase I isoenzymes from Eimeria tenella and Toxoplasma gondii, including their sensitivity to variety of CDK inhibitors)

RN 762172-81-6 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)

10/573,363



L15 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2005:588514 CAPLUS

DN 143:115554

TI A preparation of pyrimidinylimidazopyridine derivatives, useful as anticoccidial agents

IN Biftu, Tesfaye; Fisher, Michael H.; Wyvratt, Matthew J.

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 47 pp.

CODEN: PIXXD2

Applicant's

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005060571	A2	20050707	WO 2004-US40617	20041206
	WO 2005060571	A3	20051215		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2006293303	A1	20061228		20060324
PRAI	US 2003-528570P	P	20031210		
	WO 2004-US40617	W	20041206		

OS MARPAT 143:115554


AB The invention relates to a preparation of pyrimidinylimidazopyridine derivs. of formula I [wherein: R1 is H, alkyl, or halogen; R2 is H, (cyclo)alkyl, CF3, or (hetero)aryl; R3 is N-containing heterocycle; R4 is H or halogen], useful as anticoccidial agents (no biol. data). The compds. are useful for the treatment and prevention of protozoal diseases in mammals and birds. A method for controlling coccidiosis in poultry comprises administering an effective amount of the compound alone, or in combination with one or more anticoccidial agent(s). The invention also relates to methods for the treatment and prevention of mammalian protozoal diseases, such as, for example, toxoplasmosis, malaria. For instance, pyrimidinylimidazopyridine derivative II was prepared via heterocyclization of propenoylimidazopyridine derivative III with acetamide, N-cleavage, and subsequent N-methylation (the yield of heterocyclization was 89%).

IT 857434-27-6P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of pyrimidinylimidazopyridine derivs. useful as anticoccidial agents)

RN 857434-27-6 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-3-(2-methyl-4-pyrimidinyl)-7-(4-piperidinyl)- (CA INDEX NAME)




IT 857433-91-1P 857434-31-2P 857434-34-5P
 857434-37-8P 857434-39-0P 857434-45-8P
 857434-51-6P 857434-55-0P 857434-59-4P
 857434-62-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
 (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES

(Uses)
 (preparation of pyrimidinylimidazopyridine derivs. useful as anticoccidial
 agents)


RN 857433-91-1 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)-3-(2-
 methyl-4-pyrimidinyl)- (CA INDEX NAME)




RN 857434-31-2 CAPLUS

CN Imidazo[1,2-a]pyridine, 7-(1-ethyl-4-piperidinyl)-2-(4-fluorophenyl)-3-(2-
 methyl-4-pyrimidinyl)- (CA INDEX NAME)




RN 857434-34-5 CAPLUS

CN 1-Piperidineethanol, 4-[2-(4-fluorophenyl)-3-(2-methyl-4-
 pyrimidinyl)imidazo[1,2-a]pyridin-7-yl]- (CA INDEX NAME)




RN 857434-37-8 CAPLUS

CN 1-Piperidinepropanol, 4-[2-(4-fluorophenyl)-3-(2-methyl-4-pyrimidinyl)imidazo[1,2-a]pyridin-7-yl]- (CA INDEX NAME)




RN 857434-39-0 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)-3-(4-pyrimidinyl)- (CA INDEX NAME)




RN 857434-45-8 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)-3-[2-(trifluoromethyl)-4-pyrimidinyl]- (CA INDEX NAME)




RN 857434-51-6 CAPLUS

CN Imidazo[1,2-a]pyridine, 3-(2-ethyl-4-pyrimidinyl)-2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)- (CA INDEX NAME)




RN 857434-55-0 CAPLUS

CN Imidazo[1,2-a]pyridine, 3-(2-cyclopropyl-4-pyrimidinyl)-2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)- (CA INDEX NAME)




RN 857434-59-4 CAPLUS

CN Imidazo[1,2-a]pyridine, 3-[2-(1,1-dimethylethyl)-4-pyrimidinyl]-2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)- (CA INDEX NAME)



RN 857434-62-9 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)-3-(2-phenyl-4-pyrimidinyl)- (CA INDEX NAME)



IT 857434-23-2P 857434-40-3P 857434-43-6P


857434-48-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of pyrimidinylimidazopyridine derivs. useful as anticoccidial agents)


RN 857434-23-2 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[2-(4-fluorophenyl)-3-(2-methyl-4-pyrimidinyl)imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)




RN 857434-40-3 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[2-(4-fluorophenyl)-3-(4-pyrimidinyl)imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)




RN 857434-43-6 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(4-piperidinyl)-3-(4-pyrimidinyl)- (CA INDEX NAME)



RN 857434-48-1 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[2-(4-fluorophenyl)-3-[2-(trifluoromethyl)-4-pyrimidinyl]imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)



L15 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2004:775892 CAPLUS

DN 141:296019

TI Antiprotozoal imidazopyridine compounds and their preparation, use, and compositions for the treatment of coccidiosis in poultry or protozoal diseases in mammals

IN Wyvratt, Matthew J.; Biftu, Tesfaye; Fisher, Michael H.; Schmatz, Dennis M.

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 49 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004080390	A2	20040923	WO 2004-US6153	20040302
	WO 2004080390	A3	20050120		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	AU 2004220648	A1	20040923	AU 2004-220648	20040302
	CA 2517427	A1	20040923	CA 2004-2517427	20040302
	EP 1603900	A2	20051214	EP 2004-716431	20040302
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK			
	JP 2006520819	T	20060914	JP 2006-508940	20040302
	US 2006178358	A1	20060810	US 2005-548154	20050906
PRAI	US 2003-452467P	P	20030306		
	WO 2004-US6153	A	20040302		

OS MARPAT 141:296019


AB Compds. described by I and their pharmaceutically acceptable salts and/or N-oxides are disclosed [wherein: R1 = H, Me, or F; R2 = H or Me; R3 = -L-NRcRd, or various mono- and bicyclic saturated amines bound at carbon, e.g., piperidin-4-yl; L = (CRaRb)2-5 or C3-5 cycloalkane-1,1-diyl; Ra, Rb = H, OH, F, or C1-4 alkyl, provided that when Ra = OH, the vicinal Rb is H or C1-4-alkyl; or RaRb forms C3-6 cycloalkyl; Rc, Rd = H or C1-4 alkyl; n, m = 0-4, provided that (n+m) = 2, 3, or 4]. The compds. are useful (no data) for the treatment and prevention of protozoal diseases in mammals and birds. A method for controlling coccidiosis in poultry comprises administering an effective amount of I alone, or in combination with one or more anticoccidial agent(s). A composition for controlling coccidiosis in poultry comprises the compound alone, or in combination with one or more anticoccidial agent(s). Methods for the treatment and prevention of mammalian protozoal diseases, such as, for example, toxoplasmosis, malaria, African trypanosomiasis (sleeping sickness), Chagas' disease, and opportunistic infections, comprise administering I alone, or in combination with one or more other antiprotozoal agent(s). For instance, invention compound II was prepared in 10 steps from 2-mercapto-4-

methylpyrimidine hydrochloride: (1) S-methylation (91%), (2) lithiation of the 4-Me group and α -arylation with Me 4-fluorobenzoate (43%), (3) α -bromination of the formed ketone (100%), (4) cyclocondensation of the α -bromo ketone with 2-amino-4-(hydroxymethyl)pyridine to give (43%) intermediate III, (5) O-mesylation of the alc. in III (85%), (6) cyanation of the mesylate with NBu₄CN (67%), (7) oxidation of the methylthio group to a sulfone (91%), (8) hydrogenation of the cyanomethyl sidechain to give aminoethyl (>100% crude), (9) ammonolysis of the sulfone to give an amino group (26% over 2 steps), and finally (10) N,N-dimethylation with formaldehyde and NaBH₃CN in the presence of AcOH. Seven synthetic examples and four prophetic examples are given. Twelve compds. I are individually claimed. Combined anticoccidial use of I in poultry with a variety of named coccidiostats is also claimed.

IT 762172-80-5P, 4-[2-(4-Fluorophenyl)-7-(piperidin-4-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 RL: AGR (Agricultural use); FFD (Food or feed use); PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (drug candidate; preparation of antiprotozoal imidazopyridines for treatment of coccidiosis in poultry or protozoal diseases in mammals)

RN 762172-80-5 CAPLUS


CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(4-piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



IT 762172-81-6P, 4-[2-(4-Fluorophenyl)-7-(1-methylpiperidin-4-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-83-8P, 4-[2-(4-Fluorophenyl)-7-(1-ethylpiperidin-4-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-84-9P, 4-[2-(4-Fluorophenyl)-7-(1-azabicyclo[2.2.2]oct-4-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-85-0P, 4-[2-(4-Fluorophenyl)-7-(1-methylazetidin-3-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-86-1P, 4-[2-(4-Fluorophenyl)-7-(1-methylpyrrolidin-3-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-90-7P, 4-[2-(4-Fluorophenyl)-7-[(1-methylazetidin-2-yl)methyl]imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 RL: AGR (Agricultural use); FFD (Food or feed use); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (drug candidate; preparation of antiprotozoal imidazopyridines for treatment of coccidiosis in poultry or protozoal diseases in mammals)


RN 762172-81-6 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-83-8 CAPLUS

CN 2-Pyrimidinamine, 4-[7-(1-ethyl-4-piperidiny)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-84-9 CAPLUS

CN 2-Pyrimidinamine, 4-[7-(1-azabicyclo[2.2.2]oct-4-yl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-85-0 CAPLUS


CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-3-azetidiny)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



RN 762172-86-1 CAPLUS
 CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-3-pyrrolidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-90-7 CAPLUS
 CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-[(1-methyl-2-azetidiny)methyl]imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



IT 762173-02-4P, Benzyl 4-[3-(2-aminopyrimidin-4-yl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-7-yl]piperidine-1-carboxylate
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (intermediate; preparation of antiprotozoal imidazopyridines for treatment of coccidiosis in poultry or protozoal diseases in mammals)
 RN 762173-02-4 CAPLUS
 CN 1-Piperidinecarboxylic acid, 4-[3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)

10/573,363



L15 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2003:5958 CAPLUS
 DN 138:73266
 TI Preparation of imidazo[1,2-a]pyridines for the prophylaxis and treatment
 of herpes viral infections
 IN Gudmundsson, Kristjan; Johns, Brian A.
 PA Smithkline Beecham Corporation, USA
 SO PCT Int. Appl., 144 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003000689	A1	20030103	WO 2002-US18520	20020610
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2451008	A1	20030103	CA 2002-2451008	20020610
	AU 2002312459	A1	20030108	AU 2002-312459	20020610
	NZ 529568	A	20031219	NZ 2002-529568	20020610
	EP 1401836	A1	20040331	EP 2002-739833	20020610
	EP 1401836	B1	20060823		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	BR 2002010464	A	20040720	BR 2002-10464	20020610
	CN 1518550	A	20040804	CN 2002-812449	20020610
	HU 2004000266	A2	20040830	HU 2004-266	20020610
	JP 2005500315	T	20050106	JP 2003-507092	20020610
	AT 337316	T	20060915	AT 2002-739833	20020610
	ES 2271273	T3	20070416	ES 2002-2739833	20020610
	IN 2003KN01411	A	20060317	IN 2003-KN1411	20031103
	ZA 2003008726	A	20050210	ZA 2003-8726	20031110
	US 2005228004	A1	20051013	US 2003-479526	20031202
	US 7186714	B2	20070306		
	MX 2003PA11906	A	20040326	MX 2003-PA11906	20031218
	US 2006167252	A1	20060727	US 2006-391867	20060329
	US 2007135451	A1	20070614	US 2007-627078	20070125
PRAI	US 2001-300009P	P	20010621		
	WO 2002-US18520	W	20020610		
	US 2003-479526	A3	20031202		
OS	MARPAT 138:73266				
AB	The title compds. [I; p = 0-4; R1 = halo, alkyl, alkenyl, etc.; R2 = halo, alkenyl, cycloalkyl, etc.; Y = N, CH; R3, R4 = H, halo, alkyl, etc.; q = 0-5; R5 = halo, alkyl, alkenyl, etc.] were prepared E.g., a 7-step synthesis of II, starting from 2-amino-3-nitropyridine and 2-bromo-4'-fluoroacetophenone, which showed IC50 of 0.6 μ M against HSV-1, was given.				
IT	481048-64-0P				
	RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES				

(Uses)

(preparation of imidazo[1,2-a]pyridines for the prophylaxis and treatment of herpes viral infections)

RN 481048-64-0 CAPLUS

CN 2-Pyrimidinamine, N-cyclopentyl-4-[2-(4-fluorophenyl)-8-(1-pyrrolidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



RE.CNT 4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L15 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN

AN 2003:5951 CAPLUS

DN 138:73265

TI Preparation of (pyrimidyl)(phenyl)substituted fused heteroaryl p38 inhibiting and cGMP-dependent protein kinase inhibiting compounds with therapeutic uses

IN Biftu, Tesfaye; Colletti, Steven L.; McIntyre, Charles J.; Schmatz, Dennis M.; Feng, Dennis D.; Doherty, James B.; Liang, Gui-Bai; Liverton, Nigel J.; Beresis, Richard; Berger, Richard; Claremon, David A.; Kovacs, Ernest W.; Qian, Xiaoxia

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 280 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003000682	A1	20030103	WO 2002-US19507	20020621
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2450555	A1	20030103	CA 2002-2450555	20020621
	AU 2002322273	A1	20030108	AU 2002-322273	20020621
	US 2004176396	A1	20040909	US 2003-477367	20031112
	US 7196095	B2	20070327		
PRAI	US 2001-300748P	P	20010625		
	WO 2002-US19507	W	20020621		

OS MARPAT 138:73265

AB (pyrimidyl)(phenyl)substituted fused heteroaryl compds. (shown as I; variables define below; e.g. (2-(4-fluorophenyl)-3-(2-((S)-1-phenylethyl)amino)pyrimidin-4-yl)imidazo[1,2-a]pyridin-7-yl)methanol) and pharmaceutically acceptable salts thereof are useful in the treatment of cytokine mediated diseases such as arthritis and in the treatment and/or prevention of protozoal diseases such as coccidiosis. I suppress TNF- α in monocytes and also IL-1 β , IL-6 and PGE2 production with IC50 <5 μ M. The 'Fused Het' in I may be optionally substituted radicals derived from imidazo[1,2-a]pyridine, imidazo[1,2-a]pyrimidine, imidazo[2,1-b]thiazole, benzimidazole, etc. R1 is H, -C1-6alkyl, -C(O)(C1-6alkyl), -C(O)-C1-6-alkylaryl, -C0-4alkylaryl, -C0-4alkylindanyl, -C0-4alkylimidazolyl, -C0-4alkylthiazolyl, -C0-4alkylpyrazolyl, -C0-4alkyloxadiazolyl, -C0-4-alkyl-C3-6-cycloalkyl, -C0-4alkyl-C1-4-alkoxy, -C1-4-alkyl-N(C0-4-alkyl)(-C0-4-alkyl), -C1-4-alkyl-N(-C0-4alkyl)-C0-C1-4-alkoxy, -C1-4-alkylpiperidinyl, -C0-4alkyltriazolyl, -C1-4-alkylimidazothiazolyl, -C1-4-alkylbenzimidazolyl, -C1-4-alkylbenzothiazolyl, -C1-4-alkylbenzotetrahydrofuranlyl, -C1-4-alkylbenzodioxolyl, -C1-4-alkyl-(heterocycloC4O2alkyl), -C1-4-alkyl-(heterocycloC5O1alkyl), -C1-4-alkyltetrahydrofuran, or -C1-4-alkyloxetanyl; R11 is H or -C1-6-alkyl; or R1 and R11, together with the N to which they are attached, form a morpholinyl; R2, R21, R22 each independently is H, halogen, or -C1-4alkyl;. Although the methods of

preparation are not claimed, many example preps. are included.


IT 480456-02-8P, 7-((3-((Dimethylamino)carbonyl)azetidino)methyl)-2-(4-fluorophenyl)-3-[2-(((S)-1-phenylethyl)amino)pyrimidin-4-yl]imidazo[1,2-a]pyridine 480456-05-1P 480456-13-1P, 7-(Azetidinomethyl)-2-(4-fluorophenyl)-3-[2-(isopropylamino)pyrimidin-4-yl]imidazo[1,2-a]pyridine 480456-16-4P, 7-(Azetidinomethyl)-2-(4-fluorophenyl)-3-[2-(((S)-1-phenylethyl)amino)pyrimidin-4-yl]imidazo[1,2-a]pyridine 480456-32-4P 480456-34-6P, 7-(((S)-2-((Dimethylamino)carbonyl)azetidino)methyl)-2-(4-fluorophenyl)-3-[2-(((S)-1-phenylethyl)amino)pyrimidin-4-yl]imidazo[1,2-a]pyridine
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of (pyrimidyl)(phenyl)substituted fused heteroaryl p38 inhibiting and cGMP-dependent protein kinase inhibiting compds. with therapeutic uses)

RN 480456-02-8 CAPLUS


CN 3-Azetidinecarboxamide, 1-[[2-(4-fluorophenyl)-3-[2-[[[(1S)-1-phenylethyl]amino]-4-pyrimidinyl]imidazo[1,2-a]pyridin-7-yl]methyl]-N,N-dimethyl- (CA INDEX NAME)

Absolute stereochemistry.




RN 480456-05-1 CAPLUS

CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-(2,2-dimethylpropyl)- (CA INDEX NAME)




RN 480456-13-1 CAPLUS
 CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-(1-methylethyl)- (CA INDEX NAME)




RN 480456-16-4 CAPLUS
 CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-[(1S)-1-phenylethyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 480456-32-4 CAPLUS
 CN 2-Azetidinecarboxamide, 1-[[2-(4-fluorophenyl)-3-[2-[[(1S)-1-phenylethyl]amino]-4-pyrimidinyl]imidazo[1,2-a]pyridin-7-yl]methyl]-N-methyl-, (2S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 480456-34-6 CAPLUS

CN 2-Azetidinecarboxamide, 1-[[2-(4-fluorophenyl)-3-[2-[[(1S)-1-phenylethyl]amino]-4-pyrimidinyl]imidazo[1,2-a]pyridin-7-yl]methyl]-N,N-dimethyl-, (2S)- (CA INDEX NAME)

Absolute stereochemistry.



RE.CNT 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/573,363

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

50.01

416.60

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-7.20

-7.20

STN INTERNATIONAL LOGOFF AT 05:47:58 ON 07 JAN 2008

10/573,363

=>

Uploading C:\Program Files\Stnexp\Queries\10548154.str



chain nodes :

18 20 21 22 25 27 33 44

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 30 31 32

ring/chain nodes :

26 36

chain bonds :

20-21 25-26 26-27 30-36 33-36

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 7-8 7-12 8-9 8-13 9-10 9-15 10-11 11-12 13-14
14-15 30-31 30-32 31-32

exact/norm bonds :

7-8 7-12 8-9 8-13 9-10 9-15 10-11 11-12 13-14 14-15 20-21 26-27 33-36

```

exact bonds :
25-26 30-31 30-32 30-36 31-32
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 : 7 : 30 :

```

```
G1:[*1],[*2],[*3],[*4]
```

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 18:Atom 19:Atom 20:CLASS
21:Atom 22:Atom 25:CLASS 26:CLASS 27:CLASS 30:Atom 31:Atom 32:Atom 33:CLASS
36:CLASS 44:CLASS 45:Atom
Generic attributes :
18:
Saturation : Unsaturated
21:
Saturation : Saturated
Number of Carbon Atoms : less than 7
Number of Hetero Atoms : Exactly 1
Type of Ring System : Monocyclic
22:
Saturation : Saturated
Number of Hetero Atoms : Exactly 1

```

```

Element Count :
Node 21: Limited
  C,C3
  N,N1
  O,O0
  S,S0

```

```

Node 22: Limited
  N,N1
  C,C3
  O,O0
  S,S0

```

```
L1      STRUCTURE UPLOADED
```

```

=> d l1
L1 HAS NO ANSWERS
L1      STR
*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

```

Structure attributes must be viewed using STN Express query preparation.

```

=> s l1 sss sam
SAMPLE SEARCH INITIATED 07:43:43 FILE 'REGISTRY'

```

10/573,363

SAMPLE SCREEN SEARCH COMPLETED - 8778 TO ITERATE

22.8% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 169944 TO 181176
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 sss ful
FULL SEARCH INITIATED 07:44:17 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 176991 TO ITERATE


100.0% PROCESSED 176991 ITERATIONS 41 ANSWERS
SEARCH TIME: 00.00.02

L3 41 SEA SSS FUL L1

=> => s l3
L4 9 L3


=> d l4 1-9 bib,ab,hitstr

L4 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2007:652151 CAPLUS
 DN 147:277515
 TI Synthesis and SAR studies of potent imidazopyridine anticoccidial agents
 AU Liang, Gui-Bai; Qian, Xiaoxia; Feng, Dennis; Fisher, Michael; Brown, Christine M.; Gurnett, Anne; Leavitt, Penny Sue; Liberator, Paul A.; Misura, Andrew S.; Tamas, Tamas; Schmatz, Dennis M.; Wyvratt, Matthew; Biftu, Tesfaye
 CS Merck Research Laboratories, Department of Medicinal Chemistry, Merck and Co., Inc., Rahway, NJ, 07065, USA
 SO Bioorganic & Medicinal Chemistry Letters (2007), 17(13), 3558-3561
 CODEN: BMCLE8; ISSN: 0960-894X
 PB Elsevier Ltd.
 DT Journal
 LA English
 OS CASREACT 147:277515
 AB Diaryl imidazo[1,2-a]pyridine derivs. have been synthesized and found to be potent inhibitors of parasite PKG activity. The most potent compds. are the 7-isopropylaminomethyl analog I and 2-isopropylamino analog II. These compds. were also fully active in in vivo assay as anticoccidial agents at 25 ppm in feed.
 IT 480456-05-1P 480456-13-1P
 RL: PAC (Pharmacological activity); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (preparation of (aminopyrimidinyl)(fluorophenyl)imidazopyridine derivs. using amination of (fluorophenyl)hydroxymethyl(methylsulfonylpyrimidinyl)imidazopyridine with amines as key steps, and their anticoccidial activity and SAR)
 RN 480456-05-1 CAPLUS
 CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-(2,2-dimethylpropyl)- (CA INDEX NAME)




RN 480456-13-1 CAPLUS
 CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-(1-methylethyl)- (CA INDEX NAME)

10/573,363



RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
AN 2007:477982 CAPLUS
DN 147:95595
TI Imidazo[1,2-a]pyridines with potent activity against herpesviruses
AU Gudmundsson, Kristjan S.; Johns, Brian A.
CS Department of Medicinal Chemistry, Infectious Diseases Center of
Excellence for Drug Discovery, GlaxoSmithKline Research & Development,
Research Triangle Park, NC, 27709-3398, USA
SO Bioorganic & Medicinal Chemistry Letters (2007), 17(10), 2735-2739
CODEN: BMCLE8; ISSN: 0960-894X
PB Elsevier Ltd.
DT Journal
LA English
OS CASREACT 147:95595
AB Synthesis of a series of 2-aryl-3-pyrimidylimidazo[1,2-a]pyridines (e.g.
1) with potent activity against herpes simplex viruses is described.
Synthetic approaches allowing for variation of the 2-aryl, 3-heteroaryl as
well as other imidazopyridine substituents are outlined and resulting
effects on antiviral activity are highlighted. Several compds. with in
vitro antiviral activity similar or better than acyclovir are described.
IT 481048-64-0P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL
(Biological study); PREP (Preparation)
(preparation of imidazo[1,2-a]pyridines with activity against herpes simplex
viruses)
RN 481048-64-0 CAPLUS
CN 2-Pyrimidinamine, N-cyclopentyl-4-[2-(4-fluorophenyl)-8-(1-
pyrrolidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



RE.CNT 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2006:970603 CAPLUS
 DN 147:63360
 TI Inhibitors of casein kinase 1 block the growth of Leishmania major promastigotes in vitro
 AU Allocco, John J.; Donald, Robert; Zhong, Tanya; Lee, Anita; Tang, Yui Sing; Hendrickson, Ronald C.; Liberator, Paul; Nare, Bakela
 CS Department of Infectious Disease Research, Merck Research Laboratories, Merck and Co., Inc., Rahway, NJ, 07065-0900, USA
 SO International Journal for Parasitology (2006), 36(12), 1249-1259
 CODEN: IJPYBT; ISSN: 0020-7519
 PB Elsevier Ltd.
 DT Journal
 LA English
 AB Casein kinase 1 (CK1) is a family of multifunctional Ser/Thr protein kinases that are ubiquitous in eukaryotic cells. Recent studies have demonstrated the existence of, and role for, CK1 in protozoan parasites such as Leishmania, Plasmodium and Trypanosoma. The value of protein kinases as potential drug targets in protozoa is evidenced by the successful exploitation of cGMP-dependent protein kinase (PKG) with selective tri-substituted pyrrole and imidazopyridine inhibitors. These compds. exhibit in vivo efficacy against Eimeria tenella in chickens and Toxoplasma gondii in mice. We now report that both of these protein kinase inhibitor classes inhibit the growth of Leishmania major promastigotes and Trypanosoma brucei bloodstream forms in vitro. Genome informatics predicts that neither of these trypanosomatids codes for a PKG orthologue. Biochem. studies have led to the unexpected discovery that an isoform of CK1 represents the primary target of the pyrrole and imidazopyridine kinase inhibitors in these organisms. CK1 from exts. of L. major promastigotes co-fractionated with [3H]imidazopyridine binding activity. Further purification of CK1 activity from L. major and characterization via liquid chromatog. coupled tandem mass spectrometry identified CK1 isoform 2 as the specific parasite protein inhibited by imidazopyridines. L. major CK1 isoform 2 expressed as a recombinant protein in Escherichia coli displayed biochem. and inhibition characteristics similar to those of the purified native enzyme. The results described here warrant further evaluation of the activity of these kinase inhibitors against mammalian stage Leishmania parasites in vitro and in animal models of infection, as well as studies to genetically validate CK1 as a therapeutic target in trypanosomatid parasites.
 IT 762172-81-6
 RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (pyrrole and imidazopyridine cyclic guanosine monophosphate-dependent protein kinase inhibited growth of and Trypanosoma brucei bloodstream forms in parasite culture)
 RN 762172-81-6 CAPLUS
 CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)

10/573,363




RE.CNT 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2006:274310 CAPLUS
 DN 144:488575
 TI Synthesis and SAR studies of very potent imidazopyridine antiprotozoal agents
 AU Biftu, Tesfaye; Feng, Dennis; Fisher, Michael; Liang, Gui-Bai; Qian, Xiaoxia; Scribner, Andrew; Dennis, Richard; Lee, Shuliang; Liberator, Paul A.; Brown, Chris; Gurnett, Anne; Leavitt, Penny S.; Thompson, Donald; Mathew, John; Misura, Andrew; Samaras, Samantha; Tamas, Tamas; Sina, Joseph F.; McNulty, Kathleen A.; McKnight, Crystal G.; Schmatz, Dennis M.; Wyvratt, Matthew
 CS Merck Research Laboratories, Department of Medicinal Chemistry, Merck and Co., Inc., Rahway, NJ, 07065, USA
 SO Bioorganic & Medicinal Chemistry Letters (2006), 16(9), 2479-2483
 CODEN: BMCLE8; ISSN: 0960-894X
 PB Elsevier B.V.
 DT Journal
 LA English
 OS CASREACT 144:488575
 AB Aryl(pyrimidinyl)imidazopyridines (I) were prepared and tested for antiprotozoal activity. I [R = CH₂NMe₂] (IC₅₀ 110 pM) and I [R = 1-methyl-4-piperidinyl] (IC₅₀ 40 pM) are the most potent inhibitors of Eimeria tenella cGMP-dependent protein kinase activity reported to date and are efficacious in the in vivo antiparasitic assay when administered to chickens at 12.5 and 6.25 ppm levels in the feed. However, both compds. are pos. in the Ames microbial mutagenesis assay which precludes them from further development as antiprotozoal agents in the absence of neg. lifetime rodent carcinogenicity studies.
 IT 762172-80-5P
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and SAR studies of very potent imidazopyridine antiprotozoal agents)
 RN 762172-80-5 CAPLUS
 CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(4-piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



IT 762172-81-6P
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (preparation and SAR studies of very potent imidazopyridine antiprotozoal agents)
 RN 762172-81-6 CAPLUS
 CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-4-

piperidiny1)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




IT 762173-02-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and SAR studies of very potent imidazopyridine antiprotozoal agents)

RN 762173-02-4 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)



RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2005:696683 CAPLUS
 DN 143:189116
 TI cDNA molecules and polypeptides of Toxoplasma gondii and Eimeria tenella
 casein kinase I isoenzymes, sequences and biological uses thereof
 IN Donald, Robert G. K.; Liberator, Paul; Zhong, Xiaotian
 PA Merck & Co., Inc., USA
 SO PCT Int. Appl., 96 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005070180	A2	20050804	WO 2005-US955	20050112
WO 2005070180	A3	20061123		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IE, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
 NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
 TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, SM
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
 AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
 EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT,
 RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
 MR, NE, SN, TD, TG

PRAI US 2004-537094P P 20040116

AB The invention provides cDNA mols. and polypeptides of Toxoplasma gondii
 casein kinase I isoenzymes α and β (TgCKI α and
 TgCKI β), and Eimeria tenella casein kinase I isoenzyme α
 (EtCKI α). The invention also provides expression vectors comprising
 said TgCKI α , TgCKI β and EtCKI α -encoding cDNAs and use of
 said vectors in transforming host cells resulting in recombinant production of
 said CKI isoenzymes. The invention further provides for the use of
 recombinant CKI isoenzymes in testing compds. that modulate said CKI
 isoenzymes. Finally, the invention provides the cDNA and amino acid
 sequences of TgCKI α , TgCKI β and EtCKI α . In the examples,
 the invention presented the purification and characterization of said casein
 kinase I isoenzymes, including their sensitivity to variety of CDK
 inhibitors.


IT 762172-81-6

RL: BSU (Biological study, unclassified); BIOL (Biological study)
 (characterization of casein kinase I isoenzymes from Eimeria tenella
 and Toxoplasma gondii, including their sensitivity to variety of CDK
 inhibitors)

RN 762172-81-6 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-4-
 piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)

10/573,363



L4 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2005:588514 CAPLUS
 DN 143:115554

TI A preparation of pyrimidinylimidazopyridine derivatives, useful as
 anticoccidial agents

IN Biftu, Tesfaye; Fisher, Michael H.; Wyvratt, Matthew J.

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 47 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

Applicant's

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005060571	A2	20050707	WO 2004-US40617	20041206
	WO 2005060571	A3	20051215		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2006293303	A1	20061228		20060324
PRAI	US 2003-528570P	P	20031210		
	WO 2004-US40617	W	20041206		

OS MARPAT 143:115554


AB The invention relates to a preparation of pyrimidinylimidazopyridine derivs. of formula I [wherein: R1 is H, alkyl, or halogen; R2 is H, (cyclo)alkyl, CF3, or (hetero)aryl; R3 is N-containing heterocycle; R4 is H or halogen], useful as anticoccidial agents (no biol. data). The compds. are useful for the treatment and prevention of protozoal diseases in mammals and birds. A method for controlling coccidiosis in poultry comprises administering an effective amount of the compound alone, or in combination with one or more anticoccidial agent(s). The invention also relates to methods for the treatment and prevention of mammalian protozoal diseases, such as, for example, toxoplasmosis, malaria. For instance, pyrimidinylimidazopyridine derivative II was prepared via heterocyclization of propenoylimidazopyridine derivative III with acetamide, N-cleavage, and subsequent N-methylation (the yield of heterocyclization was 89%).

IT 857434-27-6P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (preparation of pyrimidinylimidazopyridine derivs. useful as anticoccidial agents)

RN 857434-27-6 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-3-(2-methyl-4-pyrimidinyl)-7-(4-piperidinyl)- (CA INDEX NAME)




IT 857433-91-1P 857434-31-2P 857434-34-5P
 857434-37-8P 857434-39-0P 857434-45-8P
 857434-51-6P 857434-55-0P 857434-59-4P
 857434-62-9P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
 (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES

(Uses)
 (preparation of pyrimidinylimidazopyridine derivs. useful as anticoccidial
 agents)


RN 857433-91-1 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)-3-(2-
 methyl-4-pyrimidinyl)- (CA INDEX NAME)




RN 857434-31-2 CAPLUS

CN Imidazo[1,2-a]pyridine, 7-(1-ethyl-4-piperidinyl)-2-(4-fluorophenyl)-3-(2-
 methyl-4-pyrimidinyl)- (CA INDEX NAME)




RN 857434-34-5 CAPLUS

CN 1-Piperidineethanol, 4-[2-(4-fluorophenyl)-3-(2-methyl-4-
 pyrimidinyl)imidazo[1,2-a]pyridin-7-yl]- (CA INDEX NAME)




RN 857434-37-8 CAPLUS

CN 1-Piperidinepropanol, 4-[2-(4-fluorophenyl)-3-(2-methyl-4-pyrimidinyl)imidazo[1,2-a]pyridin-7-yl]- (CA INDEX NAME)




RN 857434-39-0 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)-3-(4-pyrimidinyl)- (CA INDEX NAME)




RN 857434-45-8 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)-3-[2-(trifluoromethyl)-4-pyrimidinyl]- (CA INDEX NAME)




RN 857434-51-6 CAPLUS

CN Imidazo[1,2-a]pyridine, 3-(2-ethyl-4-pyrimidinyl)-2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)- (CA INDEX NAME)




RN 857434-55-0 CAPLUS

CN Imidazo[1,2-a]pyridine, 3-(2-cyclopropyl-4-pyrimidinyl)-2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)- (CA INDEX NAME)




RN 857434-59-4 CAPLUS

CN Imidazo[1,2-a]pyridine, 3-[2-(1,1-dimethylethyl)-4-pyrimidinyl]-2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)- (CA INDEX NAME)



RN 857434-62-9 CAPLUS

CN Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)-3-(2-phenyl-4-pyrimidinyl)- (CA INDEX NAME)



IT 857434-23-2P 857434-40-3P 857434-43-6P


857434-48-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of pyrimidinylimidazopyridine derivs. useful as anticoccidial agents)


RN 857434-23-2 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[2-(4-fluorophenyl)-3-(2-methyl-4-pyrimidinyl)imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)




RN 857434-40-3 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[2-(4-fluorophenyl)-3-(4-pyrimidinyl)imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)




RN 857434-43-6 CAPLUS

Imidazo[1,2-a]pyridine, 2-(4-fluorophenyl)-7-(4-piperidinyl)-3-(4-pyrimidinyl)- (CA INDEX NAME)



RN 857434-48-1 CAPLUS

CN 1-Piperidinecarboxylic acid, 4-[2-(4-fluorophenyl)-3-[2-(trifluoromethyl)-4-pyrimidinyl]imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)



L4 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2004:775892 CAPLUS
 DN 141:296019
 TI Antiprotozoal imidazopyridine compounds and their preparation, use, and compositions for the treatment of coccidiosis in poultry or protozoal diseases in mammals
 IN Wyvratt, Matthew J.; Biftu, Tesfaye; Fisher, Michael H.; Schmatz, Dennis M.
 PA Merck & Co., Inc., USA
 SO PCT Int. Appl., 49 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1

common inventors


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004080390	A2	20040923	WO 2004-US6153	20040302
	WO 2004080390	A3	20050120		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	AU 2004220648	A1	20040923	AU 2004-220648	20040302
	CA 2517427	A1	20040923	CA 2004-2517427	20040302
	EP 1603900	A2	20051214	EP 2004-716431	20040302
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK			
	JP 2006520819	T	20060914	JP 2006-508940	20040302
	US 2006178358	A1	20060810	US 2005-548154	20050906
PRAI	US 2003-452467P	P	20030306		
	WO 2004-US6153	A	20040302		

no ODP


OS MARPAT 141:296019
 AB Compds. described by I and their pharmaceutically acceptable salts and/or N-oxides are disclosed [wherein: R1 = H, Me, or F; R2 = H or Me; R3 = -L-NRcRd, or various mono- and bicyclic saturated amines bound at carbon, e.g., piperidin-4-yl; L = (CRaRb)2-5 or C3-5 cycloalkane-1,1-diyl; Ra, Rb = H, OH, F, or C1-4 alkyl, provided that when Ra = OH, the vicinal Rb is H or C1-4-alkyl; or RaRb forms C3-6 cycloalkyl; Rc, Rd = H or C1-4 alkyl; n, m = 0-4, provided that (n+m) = 2, 3, or 4]. The compds. are useful (no data) for the treatment and prevention of protozoal diseases in mammals and birds. A method for controlling coccidiosis in poultry comprises administering an effective amount of I alone, or in combination with one or more anticoccidial agent(s). A composition for controlling coccidiosis in poultry comprises the compound alone, or in combination with one or more anticoccidial agent(s). Methods for the treatment and prevention of mammalian protozoal diseases, such as, for example, toxoplasmosis, malaria, African trypanosomiasis (sleeping sickness), Chagas' disease, and opportunistic infections, comprise administering I alone, or in combination with one or more other antiprotozoal agent(s). For instance, invention compound II was prepared in 10 steps from 2-mercapto-4-

methylpyrimidine hydrochloride: (1) S-methylation (91%), (2) lithiation of the 4-Me group and α -arylation with Me 4-fluorobenzoate (43%), (3) α -bromination of the formed ketone (100%), (4) cyclocondensation of the α -bromo ketone with 2-amino-4-(hydroxymethyl)pyridine to give (43%) intermediate III, (5) O-mesylation of the alc. in III (85%), (6) cyanation of the mesylate with NBu₄CN (67%), (7) oxidation of the methylthio group to a sulfone (91%), (8) hydrogenation of the cyanomethyl sidechain to give aminoethyl (>100% crude), (9) ammonolysis of the sulfone to give an amino group (26% over 2 steps), and finally (10) N,N-dimethylation with formaldehyde and NaBH₃CN in the presence of AcOH. Seven synthetic examples and four prophetic examples are given. Twelve compds. I are individually claimed. Combined anticoccidial use of I in poultry with a variety of named coccidiostats is also claimed.

- IT 762172-76-9P, 4-[7-(2-Aminoethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-78-1P, 4-[7-(2-Amino-1,1-dimethylethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-80-5P, 4-[2-(4-Fluorophenyl)-7-(piperidin-4-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 RL: AGR (Agricultural use); FFD (Food or feed use); PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (drug candidate; preparation of antiprotozoal imidazopyridines for treatment of coccidiosis in poultry or protozoal diseases in mammals)
- RN 762172-76-9 CAPLUS
- CN Imidazo[1,2-a]pyridine-7-ethanamine, 3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)- (CA INDEX NAME)




- RN 762172-78-1 CAPLUS
- CN Imidazo[1,2-a]pyridine-7-ethanamine, 3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)- β,β -dimethyl- (CA INDEX NAME)




- RN 762172-80-5 CAPLUS


CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(4-piperidiny)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



IT 762172-77-0P, 4-[7-[2-(Dimethylamino)ethyl]-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 762172-79-2P, 4-[7-[2-(Dimethylamino)-1,1-dimethylethyl]-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 762172-81-6P, 4-[2-(4-Fluorophenyl)-7-(1-methylpiperidin-4-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-82-7P, 1-[3-(2-Aminopyrimidin-4-yl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-7-yl]-2-(dimethylamino)ethanol 762172-83-8P, 4-[2-(4-Fluorophenyl)-7-(1-ethylpiperidin-4-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 762172-84-9P, 4-[2-(4-Fluorophenyl)-7-(1-azabicyclo[2.2.2]oct-4-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-85-0P, 4-[2-(4-Fluorophenyl)-7-(1-methylazetidin-3-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine 762172-86-1P, 4-[2-(4-Fluorophenyl)-7-(1-methylpyrrolidin-3-yl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 762172-87-2P, 4-[7-[2-(Dimethylamino)-2-methylpropyl]-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 762172-88-3P, 4-[7-[2-(Dimethylamino)-1-methylethyl]-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 762172-89-4P, 4-[7-[3-(Dimethylamino)propyl]-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 762172-90-7P, 4-[2-(4-Fluorophenyl)-7-[(1-methylazetidin-2-yl)methyl]imidazo[1,2-a]pyridin-3-yl]pyrimidin-2-amine
 RL: AGR (Agricultural use); FFD (Food or feed use); PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (drug candidate; preparation of antiprotozoal imidazopyridines for treatment of coccidiosis in poultry or protozoal diseases in mammals)
 RN 762172-77-0 CAPLUS
 CN Imidazo[1,2-a]pyridine-7-ethanamine, 3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)-N,N-dimethyl- (CA INDEX NAME)




RN 762172-79-2 CAPLUS


CN Imidazo[1,2-a]pyridine-7-ethanamine, 3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)-N,N, β , β -tetramethyl- (CA INDEX NAME)

RN 762172-81-6 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-4-piperidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-82-7 CAPLUS

CN Imidazo[1,2-a]pyridine-7-methanol, 3-(2-amino-4-pyrimidinyl)- α -[(dimethylamino)methyl]-2-(4-fluorophenyl)- (CA INDEX NAME)


RN 762172-83-8 CAPLUS

CN 2-Pyrimidinamine, 4-[7-(1-ethyl-4-piperidinyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-84-9 CAPLUS

CN 2-Pyrimidinamine, 4-[7-(1-azabicyclo[2.2.2]oct-4-yl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-85-0 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-3-azetidiny)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-86-1 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-(1-methyl-3-pyrrolidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)




RN 762172-87-2 CAPLUS

CN Imidazo[1,2-a]pyridine-7-ethanamine, 3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)-N,N,α,α-tetramethyl- (CA INDEX NAME)




RN 762172-88-3 CAPLUS

CN Imidazo[1,2-a]pyridine-7-ethanamine, 3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)-N,N,β-trimethyl- (CA INDEX NAME)




RN 762172-89-4 CAPLUS

CN Imidazo[1,2-a]pyridine-7-propanamine, 3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)-N,N-dimethyl- (CA INDEX NAME)



RN 762172-90-7 CAPLUS

CN 2-Pyrimidinamine, 4-[2-(4-fluorophenyl)-7-[(1-methyl-2-azetidiny)methyl]imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



IT 762172-95-2P, 2-[2-(4-Fluorophenyl)-3-[2-(methanesulfonyl)pyrimidin-4-yl]imidazo[1,2-a]pyridin-7-yl]ethanamine

762173-02-4P, Benzyl 4-[3-(2-aminopyrimidin-4-yl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-7-yl]piperidine-1-carboxylate

762173-05-7P, 1-[2-(4-Fluorophenyl)-3-[2-(methylthio)pyrimidin-4-yl]imidazo[1,2-a]pyridin-7-yl]-2-(dimethylamino)ethanol


762173-06-8P, 1-[2-(4-Fluorophenyl)-3-[2-(methylsulfonyl)pyrimidin-4-yl]imidazo[1,2-a]pyridin-7-yl]-2-(dimethylamino)ethanol

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate; preparation of antiprotozoal imidazopyridines for treatment of coccidiosis in poultry or protozoal diseases in mammals)


RN 762172-95-2 CAPLUS

CN Imidazo[1,2-a]pyridine-7-ethanamine, 2-(4-fluorophenyl)-3-[2-(methylsulfonyl)-4-pyrimidinyl]- (CA INDEX NAME)




RN 762173-02-4 CAPLUS


CN 1-Piperidinecarboxylic acid, 4-[3-(2-amino-4-pyrimidinyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-7-yl]-, phenylmethyl ester (CA INDEX NAME)



RN 762173-05-7 CAPLUS

CN Imidazo[1,2-a]pyridine-7-methanol, α -[(dimethylamino)methyl]-2-(4-fluorophenyl)-3-[2-(methylthio)-4-pyrimidinyl]- (CA INDEX NAME)

RN 762173-06-8 CAPLUS

CN Imidazo[1,2-a]pyridine-7-methanol, α -[(dimethylamino)methyl]-2-(4-fluorophenyl)-3-[2-(methylsulfonyl)-4-pyrimidinyl]- (CA INDEX NAME)

L4 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2003:5958 CAPLUS
 DN 138:73266
 TI Preparation of imidazo[1,2-a]pyridines for the prophylaxis and treatment
 of herpes viral infections
 IN Gudmundsson, Kristjan; Johns, Brian A.
 PA Smithkline Beecham Corporation, USA
 SO PCT Int. Appl., 144 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 1


	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003000689	A1	20030103	WO 2002-US18520	20020610
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2451008	A1	20030103	CA 2002-2451008	20020610
	AU 2002312459	A1	20030108	AU 2002-312459	20020610
	NZ 529568	A	20031219	NZ 2002-529568	20020610
	EP 1401836	A1	20040331	EP 2002-739833	20020610
	EP 1401836	B1	20060823		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
	BR 2002010464	A	20040720	BR 2002-10464	20020610
	CN 1518550	A	20040804	CN 2002-812449	20020610
	HU 2004000266	A2	20040830	HU 2004-266	20020610
	JP 2005500315	T	20050106	JP 2003-507092	20020610
	AT 337316	T	20060915	AT 2002-739833	20020610
	ES 2271273	T3	20070416	ES 2002-2739833	20020610
	IN 2003KN01411	A	20060317	IN 2003-KN1411	20031103
	ZA 2003008726	A	20050210	ZA 2003-8726	20031110
	US 2005228004	A1	20051013	US 2003-479526	20031202
	US 7186714	B2	20070306		
	MX 2003PA11906	A	20040326	MX 2003-PA11906	20031218
	US 2006167252	A1	20060727	US 2006-391867	20060329
	US 2007135451	A1	20070614	US 2007-627078	20070125
PRAI	US 2001-300009P	P	20010621		
	WO 2002-US18520	W	20020610		
	US 2003-479526	A3	20031202		
OS	MARPAT 138:73266				
AB	The title compds. [I; p = 0-4; R1 = halo, alkyl, alkenyl, etc.; R2 = halo, alkenyl, cycloalkyl, etc.; Y = N, CH; R3, R4 = H, halo, alkyl, etc.; q = 0-5; R5 = halo, alkyl, alkenyl, etc.] were prepared E.g., a 7-step synthesis of II, starting from 2-amino-3-nitropyridine and 2-bromo-4'-fluoroacetophenone, which showed IC50 of 0.6 μ M against HSV-1, was given.				
IT	481048-64-0P				
	RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES				

(Uses)

(preparation of imidazo[1,2-a]pyridines for the prophylaxis and treatment of herpes viral infections)

RN 481048-64-0 CAPLUS

CN 2-Pyrimidinamine, N-cyclopentyl-4-[2-(4-fluorophenyl)-8-(1-pyrrolidinyl)imidazo[1,2-a]pyridin-3-yl]- (CA INDEX NAME)



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2008 ACS on STN
 AN 2003:5951 CAPLUS
 DN 138:73265

TI Preparation of (pyrimidyl)(phenyl)substituted fused heteroaryl p38
 inhibiting and cGMP-dependent protein kinase inhibiting compounds with
 therapeutic uses

IN Biftu, Tesfaye; Colletti, Steven L.; McIntyre, Charles J.; Schmatz, Dennis
 M.; Feng, Dennis D.; Doherty, James B.; Liang, Gui-Bai; Liverton, Nigel
 J.; Beresis, Richard; Berger, Richard; Claremon, David A.; Kovacs, Ernest
 W.; Qian, Xiaoxia

PA Merck & Co., Inc., USA

SO PCT Int. Appl., 280 pp.
 CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003000682	A1	20030103	WO 2002-US19507	20020621
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2450555	A1	20030103	CA 2002-2450555	20020621
	AU 2002322273	A1	20030108	AU 2002-322273	20020621
	US 2004176396	A1	20040909	US 2003-477367	20031112
	US 7196095	B2	20070327		
PRAI	US 2001-300748P	P	20010625		
	WO 2002-US19507	W	20020621		

OS MARPAT 138:73265

AB (pyrimidyl)(phenyl)substituted fused heteroaryl compds. (shown as I;
 variables define below; e.g. (2-(4-fluorophenyl)-3-(2-((S)-1-
 phenylethyl)amino)pyrimidin-4-yl)imidazo[1,2-a]pyridin-7-yl)methanol) and
 pharmaceutically acceptable salts thereof are useful in the treatment of
 cytokine mediated diseases such as arthritis and in the treatment and/or
 prevention of protozoal diseases such as coccidiosis. I suppress
 TNF- α in monocytes and also IL-1 β , IL-6 and PGE2 production with
 IC50 <5 μ M. The 'Fused Het' in I may be optionally substituted
 radicals derived from imidazo[1,2-a]pyridine, imidazo[1,2-a]pyrimidine,
 imidazo[2,1-b]thiazole, benzimidazole, etc. R1 is H, -C1-6alkyl,
 -C(O)(C1-6alkyl), -C(O)-C1-6-alkylaryl, -C0-4alkylaryl, -C0-4alkylindanyl,
 -C0-4alkylimidazolyl, -C0-4alkylthiazolyl, -C0-4alkylpyrazolyl,
 -C0-4alkyloxadiazolyl, -C0-4-alkyl-C3-6-cycloalkyl, -C0-4alkyl-C1-4-
 alkoxy, -C1-4-alkyl-N(C0-4-alkyl)(-C0-4-alkyl), -C1-4-alkyl-N(-C0-4alkyl)-
 CO-C1-4-alkoxy, -C1-4-alkylpiperidinyl, -C0-4alkyltriazolyl,
 -C1-4-alkylimidazothiazolyl, -C1-4-alkylbenzimidazolyl,
 -C1-4-alkylbenzothiazolyl, -C1-4-alkylbenzotetrahydrofuranlyl,
 -C1-4-alkylbenzodioxolyl, -C1-4-alkyl-(heterocycloC4O2alkyl),
 -C1-4-alkyl-(heterocycloC5O1alkyl), -C1-4-alkyltetrahydrofuran, or
 -C1-4-alkyloxetanyl; R11 is H or -C1-6-alkyl; or R1 and R11, together with
 the N to which they are attached, form a morpholinyl; R2, R21, R22 each
 independently is H, halogen, or -C1-4alkyl;. Although the methods of

preparation are not claimed, many example preps. are included.


IT 480456-02-8P, 7-((3-((Dimethylamino)carbonyl)azetidino)methyl)-2-(4-fluorophenyl)-3-[2-(((S)-1-phenylethyl)amino)pyrimidin-4-yl]imidazo[1,2-a]pyridine 480456-05-1P 480456-13-1P, 7-(Azetidinomethyl)-2-(4-fluorophenyl)-3-[2-(isopropylamino)pyrimidin-4-yl]imidazo[1,2-a]pyridine 480456-16-4P, 7-(Azetidinomethyl)-2-(4-fluorophenyl)-3-[2-(((S)-1-phenylethyl)amino)pyrimidin-4-yl]imidazo[1,2-a]pyridine 480456-32-4P 480456-34-6P, 7-(((S)-2-((Dimethylamino)carbonyl)azetidino)methyl)-2-(4-fluorophenyl)-3-[2-(((S)-1-phenylethyl)amino)pyrimidin-4-yl]imidazo[1,2-a]pyridine
 RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; preparation of (pyrimidyl)(phenyl)substituted fused heteroaryl p38 inhibiting and cGMP-dependent protein kinase inhibiting compds. with therapeutic uses)

RN 480456-02-8 CAPLUS


CN 3-Azetidinecarboxamide, 1-[[2-(4-fluorophenyl)-3-[2-[[[(1S)-1-phenylethyl]amino]-4-pyrimidinyl]imidazo[1,2-a]pyridin-7-yl]methyl]-N,N-dimethyl- (CA INDEX NAME)

Absolute stereochemistry.




RN 480456-05-1 CAPLUS

CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-(2,2-dimethylpropyl)- (CA INDEX NAME)




RN 480456-13-1 CAPLUS
 CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-(1-methylethyl)- (CA INDEX NAME)




RN 480456-16-4 CAPLUS
 CN 2-Pyrimidinamine, 4-[7-(1-azetidinylmethyl)-2-(4-fluorophenyl)imidazo[1,2-a]pyridin-3-yl]-N-[(1S)-1-phenylethyl]- (CA INDEX NAME)

Absolute stereochemistry.




RN 480456-32-4 CAPLUS
 CN 2-Azetidinecarboxamide, 1-[[2-(4-fluorophenyl)-3-[2-[[(1S)-1-phenylethyl]amino]-4-pyrimidinyl]imidazo[1,2-a]pyridin-7-yl]methyl]-N-methyl-, (2S)- (CA INDEX NAME)

Absolute stereochemistry.



RN 480456-34-6 CAPLUS
 CN 2-Azetidinecarboxamide, 1-[[2-(4-fluorophenyl)-3-[2-[[(1S)-1-phenylethyl]amino]-4-pyrimidinyl]imidazo[1,2-a]pyridin-7-yl]methyl]-N,N-dimethyl-, (2S)- (CA INDEX NAME)

Absolute stereochemistry.



RE.CNT 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

10/573,363

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

50.01

229.50

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-7.20

-7.20

STN INTERNATIONAL LOGOFF AT 07:45:26 ON 07 JAN 2008